


The marking for Terminal Equipment in Japan

Introduction

The affixing of a mark, symbol and identification code for equipment certified by EC-CABs shall be in accordance with the MPHPT (currently MIC) Ordinance No.146, 2001 and is based on the MRA between Japan and Europe.


The General form of the mark is as follows:




The affixing of marking

The manufacturer must affix the following mark for which approval has been granted by Telefication

Examples:



Or, if space doesn't permit, identification field may place under the symbol field



Symbol field


T: symbol for Terminal equipment
201: identification number Telefication
x: category of specified terminal equipment

Identification code field (certificate number Telefication)

yy the last two numbers of the year of the initial certificate number
nnnn relevant certificate number

Marking of products that includes more than one part of "terminal equipment"


Each part of this equipment shall be affixed with applicable mark



(Telefication issue for each part a separate certificate)

Size of the Mark

The size of the mark shall be 3 mm or more in diameter. In case of equipment having a volume of 100 cc or less, the size shall be 3 mm or more in diameter.





Revision record sheet

NOTE: The person who initiated the document or modified the document is responsible for maintaining this record sheet

Revision	Section number	Page number	Date	Remark(s)	issued by
04		1	05-03-15	Removed "-" from the number Removed fixed number five "5" nnn -> nnnn	WJJ
		2	05-03-15	Min label size changed from 5mm to 3mm	WJJ

Issued/modified by : Marcus Jansen
 Function : Certification Assessor
 Revision : 4
 Date : 5 March 2015

Verified by : W.J.M. Jong
 Function : Manager Product Certification
 Date : 5 March 2015

Released by : A.J. Gase
 Function : Quality Manager
 Date of release : 15 May 2015